Form 1095-C XML Schema Elements Form1095CUpstreamDetailType	Form Line Number	eFile Type	eFile Type Definition	minOccurs	maxOccurs	Element Required or Optional	Description
RecordId	N/A	RecordIdType	nonNegativeInteger minInclusive value="1"	1	1	Required	A sequential number (non-negative integer) that uniquely identifies each record within a submission - every Form 1095-C requires a <i>Recordid</i> . <i>Recordid</i> should start at 1 and increment by 1 sequentially for each Form 1095-C in the submission.
TestScenarioId	N/A	TestScenarioIdType	string pattern [1-9]{1,2}-[0-9]{1,2}	0	1	Optional	The <i>TestScenariold</i> is only applicable to transmissions submitted to AATS and identifies which test scenario the Form 1095-C represents.
CorrectedInd	N/A	boolean	boolean	1	1	Required	CorrectedInd is a boolean indicating if the record is an original (false or 0) or a correction (true or 1) to a record that the IRS has already received, processed, and accepted. The lexical representation of a boolean is allowed {true, false, 1, 0}.
CorrectedRecordInfoGrp	N/A	CorrectedRecordInfoGrpType	complexType	0	1	Optional	CorrectedRecordInfoGrp contains information to identify the submission being corrected.
CorrectedUniqueRecordId	N/A	UniqueRecordIdType	token pattern ([0-9a-zA-Z]{8}-[0-9a-zA-Z]{4}-[0-9a-zA-Z]{4}-[0-9a-zA-Z]{4}- [0-9a-zA-Z]{12}: SYS12:[A-Z-[AEIOU]]{2}[A-Z0-9-[AEIOU]]{3}::T\ [1-9]{1}[0-9]{0,15}\ [1-9]{1}[0-9]{0,15})	1	1	Required	CorrectedRecordUniqueId is the unique identifier of the record being corrected.
CorrectedRecordPayeeName	N/A	OtherCompletePersonNameType	complexType	0	1	Optional	The CorrectedRecordPayeeName is a complex element. It is not required. However, if it is included in the XML, the simple elements must follow the schema definition. This is the name of the person reported on the record being corrected.
PersonFirstNm	N/A	string	string, unbounded	1	1	Required	The <i>PersonFirstNm</i> is required if <i>CorrectedRecordPayeeName</i> is included in the XML. It is an unbounded string containing the first name of the person reported on the record being corrected.
PersonMiddleNm	N/A	string	string, unbounded	0	1	Optional	The <i>PersonMiddleNm</i> is not required. It is an unbounded string containing the middle name of the person reported on the record being corrected.
PersonLastNm	N/A	string	string, unbounded	1	1	Required	The <i>PersonLastNm</i> is required if <i>CorrectedRecordPayeeName</i> is included in the XML. It is an unbounded string containing the last name of the person reported on the record being corrected.
SuffixNm	N/A	string	string, unbounded	0	1	Optional	The <i>SuffixNm</i> is not required. It is an unbounded string containing the suffix name of the person reported on the record being corrected.
CorrectedRecordPayeeTIN	N/A	SSNType	string pattern [0-9]{9}	0	1	Optional	The CorrectedRecordPayeeTin is the SSN of the Payee that was reported on the record being corrected.
TaxYr	N/A	YearType	gYear 1000-9999 allowed	0	1	Optional	IRS $TaxYr$ is the tax year for which the data on the Form 1095-C is being submitted.
EmployeeInfoGrp	N/A	EmployeeInformationGrpType	complexType	0	1	Optional	The <i>EmployeeInfoGrp</i> is a complex element. It contains information to identify the employee.
OtherCompletePersonName	N/A	OtherCompletePersonNameType	complexType	0	1	Optional	The OtherCompletePersonName is a complex element. It is not required. However, if it is included in the XML, the simple elements must follow the schema definition.

PersonFirstNm	Line 1	string	string, unbounded	1	1	Required	The <i>PersonFirstNm</i> is required if <i>OtherCompletePersonName</i> is included in the XML. It is an unbounded string containing the first name of the employee.
PersonMiddleNm	Line 1	string	string, unbounded	0	1	Optional	The <i>PersonMiddleNm</i> is not required. It is an unbounded string containing the middle name of the employee.
PersonLastNm	Line 1	string	string, unbounded	1	1	Required	The PersonLastNm is required if OtherCompletePersonName is included in the XML. It is an unbounded string containing the last name of the employee.
SuffixNm	Line 1	string	string, unbounded	0	1	Optional	The <i>SuffixNm</i> is not required. It is an unbounded string containing the suffix name of the employee.
PersonNameControlTxt	N/A	PersonNameControlType	string length value = "4"	0	1	Optional	The <i>PersonNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema.
TINRequestTypeCd	N/A	TINRequestTypeCodeType	enumerated string enumerations allowed: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a code used to identify the TIN Request Type of the employee. The code for the Employee should be INDIVIDUAL_TIN.
SSN	Line 2	SSNType	string pattern [0-9]{9}	0	1	Optional	The SSN is the 9 digit Social Security Number or Taxpayer Identification Number of the employee.
MailingAddressGrp	Lines 3-6	BusinessAddressGrpType	complexType	0	1	Optional	MailingAddressGrp is a choice of USAddressGrp or ForeignAddressGrp.
USAddressGrp	N/A	USAddressGrpType	complexType	1	1	Required	USAddressGrp or ForeignAddressGrp simple elements are only required if the XMI includes MailingAddressGrp. Note: either USAddressGrp or ForeignAddressGrp simple elements are required - not both - depending on the address.
AddressLine1Txt	Line 3	string	string, unbounded	1	1	Required	AddressLine1Txt is the first line containing the street address of the employee. This simple element is required if the XML includes USAddressGrp.
AddressLine2Txt	Line 3	string	string, unbounded	0	1	Optional	AddressLine2Txt is an optional second line containing the street address of the employee.
CityNm	Line 4	CityType	string up to 22 characters allowed pattern ([A-Za-z] ?)*[A-Za-z]	1	1	Required	CityNm is the name of the city of the employee. This simple element is required if the XML includes USAddressGrp .
USStateCd	Line 5	USStateCdType	enumerated string 2 characters required The Standard Postal Service State Abbreviations and ZIP code list can be found on IRS.gov at http://www.irs.gov/pub/irs- utl/zip code and state abbreviations.pdf	1	1	Required	USStateCd is the abbreviation for the state, US Territory, or Military designation of the employee. This simple element is required if the XML includes USAddressGrp.
USZIPCd	Line 6	USZIPCdType	string 5 characters required pattern [0-9]{5}	1	1	Required	USZIPCd is the 5-digit zip code for the address of the employee. This simple element is required if the XML includes USAddressGrp.
USZIPExtensionCd	Line 6	USZIPExtensionCdType	string pattern [0-9]{4}	0	1	Optional	USZIPExtensionCd is the 4-digit extension zip code for the address of the employee.
ForeignAddressGrp	N/A	ForeignAddressGrpType	complexType	1	1	Required	USAddressGrp or ForeignAddressGrp simple elements are only required if the XMI includes MailingAddressGrp. Note: either USAddressGrp or ForeignAddressGrp simple elements are required - not both - depending on the address.

AddressLine1Txt	Line 3	string	string, unbounded	1	1	Required	AddressLine1Txt is the first line containing the street address of the employee. This simple element is required if the XML includes Foreign AddressGrp.
AddressLine2Txt	Line 3	string	string, unbounded	0	1	Optional	AddressLine2Txt is an optional second line containing the street address of the employee.
CityNm	Line 4	CityType	string up to 22 characters allowed pattern ([A-Za-z] ?)*[A-Za-z]	0	1	Optional	CityNm is the name of the city of the employee.
CountryCd	Line 6	CountryCodeType	choice (with <i>CountryName</i>) string, unbounded	1	1	Required	CountryCd is the Foreign Country Code of the employee. This simple element or CountryName is required if the XML includes ForeignAddressGrp. The Foreign Country Code list can be found on IRS.gov at http://www.irs.gov/Tax-Professionals/e-File-Providers-&-Partners/Foreign-Country-Code-Listing-for-Modernized-e-File.
CountryName	Line 6	string	choice (with <i>CountryCd</i>) string, unbounded	1	1	Required	CountryName is the Foreign Country Name of the employee. This simple element or CountryCd is required if the XML includes ForeignAddressGrp. The Foreign Country Name list can be found on IRS.gov at http://www.irs.gov/Tax-Professionals/e-File-Providers-&-Partners/Foreign-Country-Code-Listing-for-Modernized-e-File.
ForeignProvinceNm	Line 5	string	string, unbounded	0	1	Optional	ForeignProvinceNm is the name of the Province of the address of the employee.
ForeignPostalCd	Line 6	string	string, unbounded	0	1	Optional	ForeignPostalCd is the name of the foreign postal code of the address of the employee.
The ALE Member information will be populated from Form 1094-C.	Lines 7-13	N/A	N/A	N/A	N/A	N/A	N/A
ALEContactPhoneNum	Line 10	ContactPhoneNumberType	string minLength="10" maxLength="15" pattern ([0-9])*	0	1	Optional	ALEContactPhoneNum is the phone number for the Applicable Large Employer Member who can be contacted about the information reported on the form.
EmployeeOfferAndCoverageGrp	Lines 14 - 16	EmployeeOfferAndCoverageGrpType	complexType	0	1	Optional	The complex element <i>EmployeeOfferAndCoverageGrp</i> contains the information by each month of the year to specify the type of coverage, if any, offered to an employee, the employee's spouse and the employee's dependents.
AnnualOfferOfCoverageCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator that applies. Enter the applicable code in the "All 12 Months" box if it applies.
MonthlyOfferCoverageGrp	Line 14	OfferCoverageByMonthType	complexType	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in the "All 12 Months" box or in each of the 12 boxes for the calendar months that apply.
JanOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
FebOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.

MarOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
AprOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
MayOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
JunOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
JulOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
AugOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
SepOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
OctOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
NovOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
DecOfferCd	Line 14	OfferCoverageType	string maxLength="2" Code Series: "1A", "1B", "1C", "1D", "1E", "1F", "1G", "1H", "1I"	0	1	Optional	Enter the Code Series 1 indicator code corresponding to the type of coverage offered in each of the 12 boxes for the calendar months that apply.
AnnlShrLowestCostMthlyPremAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in "All 12 Months" box if it was the same for every month of the year.
MonthlyShareOfLowestCostMonthlyPremGrp	Line 15	AmountByMonthDetailType	complexType	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.

	1: 45	A	Lite at one at	0		Outional	Consolitation of the de 4D 4C 4D and 5 is entered and the 4A 16th annual continue.
JanuaryAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
FebruaryAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
MarchAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
AprilAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
MayAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
JuneAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
JulyAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
AugustAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
SeptemberAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
OctoberAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
NovemberAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.

DecemberAmt	Line 15	AmountType	decimal max length="19" max length decimal digits ="2"	0	1	Optional	Complete only if code 1B, 1C, 1D or 1E is entered on line 14. If the employee is offered coverage but is not required to contribute any amount towards the premium, enter 0.00, cannot leave blank. Values must be entered as dollars and any cents. Enter premium amount in each month separately if not the same for all 12 months.
AnnualSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in the "All 12 Months" box if it applies.
MonthlySafeHarborGrp	Line 16	MonthlySafeHarborCdType	complexType	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
JanSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
FebSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
MarSafeHaborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
AprSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
MaySafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
JunSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
JulSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
AugSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
SepSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
OctSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.

NovSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
DecSafeHarborCd	Line 16	SafeHarborCdType	"string" enumeration value Code Series 2: "2A", "2B", "2C", "2D", "2E", "2F", "2G", "2H", "2I"	0	1	Optional	Enter the Code Series 2 indicator that applies. Enter the applicable code in each monthly box for which it applies. If none of the codes apply for a calendar month, leave the line blank for that month.
CoveredIndividualInd	N/A	CheckboxType	enumerated string enumeration="X"	0	1	Optional	Enter "X" in the check box of Part III only if the employer offers employer- sponsored self-insured health coverage in which the employee or other individual is enrolled.
CoveredIndividualGrp	Lines 17-22	EmployerCoveredIndividualType	complexType	0	999	Optional	EmployerCoveredIndividual is a complex element. It allows for up to 999 covered individuals to be submitted for each employee listed.
CoveredIndividualName	N/A	OtherCompletePersonNameType	complexType	0	1	Optional	Enter the name of each covered individual.
PersonFirstNm	Lines 17(a)- 22(a)	string	string, unbounded	1	1	Required	The <i>PersonFirstNm</i> is required if <i>CoveredIndividualName</i> is included in the XML. It is an unbounded string containing the first name of the covered individual.
PersonMiddleNm	Lines 17(a)- 22(a)	string	string, unbounded	0	1	Optional	The <i>PersonMiddleNm</i> is not required. It is an unbounded string containing the middle name of the covered individual.
PersonLastNm	Lines 17(a)- 22(a)	string	string, unbounded	1	1	Required	The <i>PersonLastNm</i> is required if <i>CoveredIndividualName</i> is included in the XML. It is an unbounded string containing the last name of the covered individual.
SuffixNm	Lines 17(a)- 22(a)	string	string, unbounded	0	1	Optional	The <i>SuffixNm</i> is not required. It is an unbounded string containing the suffix name of the contact person.
PersonNameControlTxt	N/A	PersonNameControlType	string, with 4 characters generated	0	1	Optional	The <i>PersonNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema.
TINRequestTypeCd	N/A	TINRequestTypeCodeType	enumerated string enumerations allowed: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a string that conforms to the pattern described in the XML Schema. The enumeration for the covered individual should be INDIVIDUAL_TIN.
SSN	Lines 17(b)- 22(b)	SSNType	string pattern [0-9]{9}	0	1	Optional	Enter the 9-digit SSN for each covered individual. For covered individuals who are not the employee listed in Part I, a Taxpayer Identification Number (TIN), rather than an SSN, may be entered if the covered individual does not have an SSN.
BirthDt	Lines 17(c)- 22(c)	DateType	date pattern [1-9][0-9]{3}*	0	1	Optional	Enter a date of birth for the covered individual only if SSN in column (b) is blank.
CoveredIndividualAnnualInd	Lines 17(d)- 22(d)	CheckboxType	string enumeration value="X"	0	1	Optional	Check this box if the individual was covered for at least one day per month for all 12 months of the calendar year.
CoveredIndividualMonthlyInd	N/A	MonthIndGrpType	complexType	0	1	Optional	CoveredIndividualMonthlyInd is a complex element. It shows each month the individual was covered for at least one day in each month listed.
JanuaryInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
FebruaryInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
Marchind	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
Aprillnd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.

MayInd	Lines 17(e)-	CheckboxType	string	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include
	22(e)		enumeration value="X"				this element with the enumeration "X" for each month in which the individual was covered for at least one day.
JuneInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
JulyInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
Augustind	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
SeptemberInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
OctoberInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
NovemberInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
DecemberInd	Lines 17(e)- 22(e)	CheckboxType	string enumeration value="X"	0	1	Optional	This is a Checkbox Type - if the individual was not covered for all months include this element with the enumeration "X" for each month in which the individual was covered for at least one day.
recordType	N/A	string	string	1	1	Required	The underlying COTS product requires the <i>recordType</i> and <i>lineNum</i> attributes for every record in the file. These attributes are constants:
lineNum	N/A	string	integer	1	1	Required	recordType ="" lineNum ="0"
Depending on the developmental tool us	sed there may be a co	ompatibility issue and the	he displayed results may differ with	the filing patte	erns shown		